

NISSAN NAVARA	4 x 2						4 x 4				
	King Cab			Double Cab			King Cab		Double Cab		
Grade	SE	LE		SE	LE		SE	LE	SE	LE	
	6MT	6MT	5AT	6MT	6MT	5AT	6MT	6MT	6MT	6MT	5AT
<b>Technical Information</b>											
<b>Dimension</b>											
Exterior (mm)	5125 x 1795 x 1735			5125 x 1795 x 1745			5125 x 1850 x 1770		5125 x 1850 x 1780		
WheelBase (mm)	3200						3200				
Thread Front/Rear (mm)	1530/1530						1570/1570				
Curb Weight Approx. (kg)	1560	1570		1680	1700		1590	1600	1830	1850	
<b>Engine</b>											
Model	YD25DDTi Mid Power Common Rail						YD25DDTi High Power Common Rail				
Type	Common Rail, 4 Cylinder,DOHC 16-valve Variable Nozzle Turbo w/Intercooler						Common Rail, 4 Cylinder,DOHC 16-valve Variable Nozzle Turbo w/Intercooler				
Fuel System	Common Rail Controlled by ECCS 32 bit						Common Rail Controlled by ECCS 32 bit				
Bore x Stroke (mm)	89.0 x 100.0						89.0 x 100.0				
Displacement (cc)	2488						2488				
Maximum Output (KW(HP)/RPM)	106(144)/4000						128(174)/4000				
Maximum Torque(N-M/RPM)	356(36)/2000						403(41)/2000				
Compression Ratio	16.5:1						16.5:1				
Fuel Tank Capacity	80						80				
<b>Chassis</b>											
Gear System	6 Speed M/T	5 Speed A/T		6 Speed M/T	5 Speed A/T		6 Speed M/T		5 Speed A/T		
Transmission System	2-Wheel Drive						4-Wheel Drive w/Limited Slip and All Mode Switch				
Suspension Type											
Suspension Type Front/Rear	Double Wishbone with Coil Springs and Stabilizer										
Steering System											
Steering	Rack and Panion with Power Assist										
Brake System											



**Side Door Impact Bar**

/

/

/

/

/

/

/

/

/

/

/