

mitsubishi Triton 2WD

| GRADE | KA4TNCNMFru | KA4TNCNUZRU | KA4TNCRUZRU 2.5 MEGA CAB GLX (A/T) | KA4TNJNMZRU | KA4TNJNUZRU | KA4TNGRUZRU |
|---|-------------------------------------|------------------|--|-------------------|--------------------|----------------------|
| | 2.5 MEGA CAB GL | 2.5 MEGA CAB GLX | | 2.5 DOUBLE CAB GL | 2.5 DOUBLE CAB GLX | 2.5 DOUBLE GLX (A/T) |
| DIMENSION & WEIGHT | | | | | | |
| OVER LENGTH (mm) | 5110 | | | 4995 | | |
| OVERALL WIDTH (mm) | 1750 | | | | | |
| OVERALL HIGHT (mm) | 1660 | 1655 | | | 1660 | |
| WHEELBASE (mm) | 3000 | | | | | |
| FRONT TRACK (mm) | 1505 | | | | | |
| REAR TRACK (mm) | 1500 | | | | | |
| BED INTERIOR LENGTH (mm) | 1805 | | | 1325 | | |
| BED INTERIOR WIDTH (mm) | 1470 | | | | | |
| BED INTERIOR HEIGHT (mm) | 405 | | | | | |
| GROUND CLEARANCE (mm) | 200 | 195 | | 200 | 195 | |
| CURB WEIGHT APPROX. (Kg) | 1565 | 1600 | | 1640 | | |
| PERFORMANCE | | | | | | |
| MINIMUM TURNING RADIUS | 5.7 | | | | | |
| MAXIMUM CLIMBING ABILITY | 0.31 | 0.36 | | | | |
| MODEL | 4D56 DEISEL TURBO | | 4D56 DI-D HYPER COMMONRAIL TURBO | | | |
| TYPY | 4-CYLINDER , SOHC | | 4-CYLINDER , DOHC 16-VALVE | | | |
| DISPLACEMENT (CC) | 2477 | | | | | |
| BORE x STROKE (MM) | 91.1 x 95.0 | | | | | |
| COMPRESSION RATIO | 21.0 : 1 | | 17.0 : 1 | | | |
| MAXIMUM OUTPUT - ECE NET (Kw(PS) / RPM) | 66 (90) / 4000 | | 85 (116) / 4000 | | | |
| MAXIMUM TORGUE (N-m / Kg-m / RPM) | 196 (20.0) / 2000 | | 247 (25.5) / 2000 | | | |
| FUEL SYSTEM | | | | | | |
| TYPE | ELECTRICAL FUEL INJECTION | | ELETRONIC FUEL INJECTION (COMMONRAIL) | | | |
| FUEL TANK CAPACITY (LITRE) | 75 | | | | | |
| TRANSMISSION | | | | | | |
| CLUTCH | MECHANICAL | | TORQUE CONVERTER | MECHANICAL | | TORQUE CONVERTER |
| TYPE | MANUAL 5 SPEED | | AUTO 4 SPEED | MANUAL 5 SPEED | | AUTO 4 SPEED |
| GEAR | 5 M/T | | 4 A/T | 5 M/T | | 4 A/T |
| GEAR RATIO GEAR1 | 3.967 | 4.313 | 2.452 | 4.313 | 2.452 | |
| GEAR2 | 2.136 | 2.33 | 1.452 | 2.330 | 1.452 | |
| GEAR3 | 1.360 | 1.436 | 1.000 | 1.436 | 1.000 | |
| GEAR4 | 1.000 | 1.000 | 0.688 | 1.000 | 0.688 | |
| GEAR5 | 0.856 | 0.789 | | 0.789 | | |
| REVERSE GEAR | 3.578 | 4.220 | 2.212 | 4.220 | 2.212 | |
| FINAL GEAR RATIO | 4.222 | | 3.909 | | | |
| STEERING | | | | | | |
| TYPE | RACK ANA PINION WITH POWER STEERING | | | | | |

| SUSPENSION | | | | |
|------------|----------------------------------|-----------|---------|-----------|
| FRONT | INDEPENDENT-WISHBONE,COIL SPRING | | | |
| REAR | REGID-ELLIPTIC LEAF SPRING | | | |
| BRAKE | | | | |
| FRONT | VENTILATED DISCS | | | |
| REAR | LEADING AND TRAILING DRUMS | | | |
| TIRE SIZE | 195R15C | 215/70R15 | 195R15C | 215/70R15 |

TRITON 2WD STANDARD EQUIPMENTS

| EXTERIOR | INTERIOR |
|---------------------------------------|---------------------------------------|
| RADIATOR GRILL WTH CHROME FRAME | TILTSTEERING |
| CHROME DOOR MIRROR | POWER WINDOW |
| ELECTRIC FOLDABLE DOOR MIRROR | FUEL LID OPENER |
| INTERMITTENT WINDSHIELD WIPER | REAR BOTTLE HOLDER |
| SIDE TURNING LAMP | FRONT SEAT HEADRESTRAINT |
| INNER HOOK | CONVENIENCE HOOK FOR FRONT SEAT |
| REFLECTOR | FLOOR MAT HOOK FOR DRIVER SIDE |
| | SAFETY |
| INTERIOR | LAMINATED FRONT WINDSHIELD |
| DIGITAL CLOCK | FRONT SEAT BELT 3 POINT ELR , 2 POINT |
| TICKET HOLDER ON DRIVER SIDE SUNVISOR | CHILD PROOF |
| ROOM LAMP | LSPV |
| BUILT IN DOWN LIGHT AT CENTRAL PANEL | |
| TACHOMETER | |
| DIGITAL A/T SHIFT POSITION LAMP | |
| SILVER PAINTED METER CLUSTER | |
| RADIO-CASSETTE TAPE | |

| | |
|---------------------------------------|--|
| | |
| CIGAR LIGHTER WITH ASHTRAY | |
| | |
| STORAGE BOX WITH LAMP | |
| | |
| CENTRAL ARMREST WITH CUP HOLDER | |
| | |
| FLOOR CONSOLE WITH LID AND CUP HOLDER | |